

Fall 2020

Rouge Education Project: Data Summary Report



**Friends
of
the ROUGE**

Friends of the Rouge

Plymouth, Michigan

www.therouge.org

Published March 2021

Table of Contents

- Introduction 3
 - History of the Rouge Education Project..... 3
 - How Data are Used 3
 - Michigan Watersheds & the Rouge River Basin 4
- Water Quality Monitoring Parameters 6
 - Chemical Monitoring 6
 - Biological Monitoring..... 8
 - Physical Monitoring 9
 - Sampling Sites & School Location 10
- Chemical Testing Results: Advanced Kits* 11
 - Lower 1 Subwatershed 11
 - Lower 2 Subwatershed 12
 - Main 1-2 Subwatershed..... 13
 - Main 3-4 Subwatershed..... 14
 - Middle 1 Subwatershed 15
 - Middle 3 Subwatershed 16
 - Upper Subwatershed 17
 - Figures..... 18
 - Overall Water Quality 23
- Chemical Testing Results: EZ-Tab Kits..... 24
 - Lower 1 Subwatershed 24
 - Lower 2 Subwatershed 24
 - Main 1-2 Subwatershed..... 24
 - Main 3-4 Subwatershed..... 24
 - Middle 1 Subwatershed 24
 - Middle 3 Subwatershed 24
 - Upper Subwatershed 24
- Notable Results & Discussion..... 25
 - Fall Monitoring 2020..... 25
- Overall Summary & Conclusions..... 26
- 2020 Rouge Education Project Supporters 28

Introduction

History of the Rouge Education Project

The Rouge Education Project (REP) is a school-based watershed education and water quality monitoring program coordinated by Friends of the Rouge. Its mission is to promote awareness and stewardship of the Rouge River watershed through school-based water quality monitoring, investigation, and problem solving. The program's major objectives are to:

- Provide opportunities for schools to engage students in hands-on, real world science through water quality monitoring of the Rouge River;
- increase participants' awareness of the Rouge River watershed, how they impact it, and how it impacts them; and
- empower participants to apply knowledge and awareness gained through the REP to identify and address environmental issues in the Rouge River watershed and beyond

The Rouge Education Project began in 1987 with 16 high schools. During fall 2020, the world was continuing to be impacted by a new Coronavirus, COVID-19, and by then, was a full-blown worldwide pandemic. In response to the pandemic and rising death toll, many schools were operating virtually or in a hybrid environment in the fall of 2020, and few schools were allotted the freedom of field trips to the river. The Friends of the Rouge Education Manager and four schools were, separately, able to collect some chemical data during this time. Sampling took place from October 3, 2020 – October 21, 2020.

Results throughout this report are organized by the seven subwatersheds that comprise the Rouge River basin: Lower 1 and Lower 2 (encompassing the Lower Branch of the river), Main 1-2 and Main 3-4 (encompassing the Main Branch of the river and the Main Stem downstream of the confluence of all branches), Middle 1 and Middle 3 (encompassing the Middle Branch of the river), and Upper (encompassing the Upper Branch of the river).

Friends of the Rouge and participating schools used a combination of *LaMotte* and *Hach* brand water test kits and/or digital testing probes and meters. This report, additional data, and program information also are available on the Friends of the Rouge website at www.therouge.org.

How Data are Used

As noted above, the REP mission is to promote and increase each student's environmental awareness and sense of stewardship within his or her local watershed. As such, data are not intended to meet the same standards of collection and use as other, more scientifically rigorous programs. While REP staff continues to develop effective quality assurance/quality control methods to ensure that the data are as consistent and reliable as possible, REP results are used primarily for educational awareness and demonstrate an exercise in field water quality monitoring and analysis for school groups.

Michigan Watersheds & the Rouge River Basin

Michigan is home to numerous wetlands, streams, and rivers. Figure 1 displays the general division of watersheds throughout the state. Areas that are left un-shaded are areas with many small streams and no major river body.



Figure 1: Major watersheds of Michigan. The red outline depicts the Rouge River basin. (Image courtesy of Michigan State University.)

Scaling down to the Rouge from the state level, the river is divided into seven smaller drainage basins called “sub-watersheds.” These subwatersheds (Figure 2) comprise the four branches of the Rouge River: the Main, Upper, Middle, and Lower branches. All four branches flow into the Main Stem, which empties into the Detroit River. The Rouge River watershed is approximately 467 square miles in area and is home to 1.35 million people in 48 communities.




Figure 2: Seven subwatersheds that make up the Rouge River basin in Michigan

Water Quality Monitoring Parameters

Schools participating in the Rouge Education Project are encouraged to follow the procedures recommended in the Mark K. Mitchell & William B. Stapp *Field Manual for Water Quality Monitoring*. The Rouge Education Project was the first large-scale sampling event of its kind using this protocol.

Chemical Monitoring

Schools participating in the REP monitor up to nine chemical water quality parameters (described below). These include dissolved oxygen, fecal coliform bacteria, pH, biochemical oxygen demand (BOD), change in temperature, total phosphates, nitrates, turbidity, and total solids (though elementary schools do not conduct the latter).

Middle and high schools that monitor at least six chemical parameters calculate an overall water quality value (index) for their sampling site, which is based on all of their chemical test results. This value, dubbed the “Q” value, is on a scale of zero to 100, with higher numbers indicating relatively better water quality (Appendix II). Chemical testing techniques reveal a snapshot of water conditions at the time of sampling opposed to conditions over time.

Dissolved oxygen

Oxygen from the atmosphere is mixed into water by waves and turbulent motion. Algae and rooted aquatic plants also put oxygen into water through photosynthesis. Most aquatic plants and animals must have some amount of oxygen to survive. Waters with consistently high levels of dissolved oxygen (DO) are considered to be stable ecosystems and able to support diverse populations of organisms. DO results are commonly reported as milligrams of oxygen per liter of water (mg/L), and are considered in terms of the tolerance of certain organisms, particularly fishes, to low (*i.e.*, stressful) levels. DO levels below 3.0 mg/L are considered too low to sustain fish populations.

Fecal coliform bacteria

Feces of humans and other warm-blooded animals contain *E. coli* and other types of fecal coliform bacteria. These bacteria themselves do not normally cause disease or illness, but if levels are high, it is more likely that other pathogens are present in the water. Sources of fecal coliform in the river include discharged sewage, wildlife wastes, and runoff from pet waste and livestock. It is important to note that in the Rouge, fecal coliform levels tend to be much higher after rain or snowmelt than during dry periods. During heavy rains and snowmelt, animal wastes are washed into the river and combined sewer systems may overflow, releasing raw or partially treated sewage. Results are commonly reported as the number of colonies of fecal coliform bacteria per 100 milliliters of water.

pH

Water (H₂O) is composed of hydroxide (OH⁻) and hydrogen (H⁺) ions. The pH test, which stands for “potential of hydrogen,” measures the concentration of H⁺ ions in a given water sample (*i.e.*, the potential to “give away” excess hydrogen ions). pH values range from zero to 14. A pH of 7 is considered neutral, less than 7 is acidic, and greater than 7 is basic. The pH of water in the U.S. is usually between 6.5 and 8.5. Most organisms cannot live in water that has high or low pH values (more than 9.6 or less than 4.5). The pH is commonly reported as pH units. It is important to note that pH

values are logarithmic ($\text{pH} = -\log[\text{H}^+]$) and, therefore, cannot be averaged to express central tendency (*i.e.*, mean). Instead, median values are used to express central tendency.

Biochemical oxygen demand

Biochemical oxygen demand (BOD) is the measure of the amount of oxygen used by aerobic (air-breathing) microorganisms, such as bacteria and fungi, as they feed upon decomposing organic matter, such as dead aquatic plants. Inputs of phosphates and nitrates to water bodies stimulate the growth of aquatic plants. As these plants die and decompose over time, more and more oxygen is removed from the water by the microorganisms that break them down. High BOD levels can lead to fish kills as the aerobic bacteria use up the dissolved oxygen that fish need to live. BOD results are commonly reported as milligrams of oxygen per liter of water.

Change in temperature

For this test, water temperature is measured both at the sampling site and one mile upstream. The upstream temperature is then subtracted from the downstream temperature to determine the change in temperature. Most physical, biological, and chemical processes in a river are directly affected by temperature. For example, temperature affects the amount of dissolved oxygen in water (cold water holds more oxygen than warm water), the rate of photosynthesis in plants, the metabolic rate of aquatic animals, and the sensitivity of organisms to pollution, disease, and parasites. Changes in water temperature may be the result of thermal pollution (adding warm water to a body of water), changes in the amount of shade over the river, and soil erosion (soil particles suspended in water absorb heat from sunlight). Results for this metric are commonly reported as degrees Celsius.

Total phosphates

Phosphorus is a nutrient that plants need to grow. In most waters, phosphorus is present in very low concentrations, which limits plant growth. However, phosphorus is added to water through human and industrial wastes, fertilizers, and processes that disturb land vegetation. When human activities increase the rate of the supply of phosphorus (and/or other “organic matter”) to a water body, it is called cultural eutrophication. The addition of excess nutrients, such as phosphorus, stimulates plant growth and can cause dramatic growth (“blooms”) of resident algae and other vegetation. When this vegetation decomposes, dissolved oxygen levels drop dramatically, especially near the bottom of the body of water. Results are commonly reported as milligrams of total phosphate per liter of water.

Nitrates

All plants and animals require nitrogen to build protein. In freshwater systems, nitrogen is naturally more abundant than phosphorus and is most commonly found in its dissolved, atmospheric form (N_2 gas). However, this is not readily available for use by most aquatic plants and must be converted to ammonia (NH_3) and nitrates (NO_3^-). In these forms, nitrogen acts as a plant nutrient, loadings of which can contribute to eutrophication (see *Total phosphates* section above). Plants are less sensitive to changes in ammonia and nitrate levels than they are to phosphorus, however, because nitrogen so rarely limits plant growth (since it is naturally more abundant than phosphorus in freshwater environments). Excess nitrogen is added to rivers by humans through sewage, fertilizers, and runoff from dairies and barnyards. Results are commonly reported as milligrams of nitrates per liter of water.

Note that, as of spring 2013, results for this parameter are not comparable with nitrate findings from historical REP data. This is due to the fact that a conversion factor was introduced and used to account for the entire nitrate compound, as opposed to the isolated nitrogen molecule, which is solely what the LaMotte-brand testing kit measures.

Turbidity

Turbidity is a measure of water clarity; murky or cloudy water has a high turbidity, while clear water has a low turbidity. Suspended solids – such as soil particles, sewage, plankton, and industrial wastes – increase turbidity and decrease the transmission of light. Turbid waters are warmer (see *Change in temperature* section above) and allow less sunlight through for photosynthesis to occur in aquatic plants. In turn, warmer water contains less oxygen for organisms to utilize, which can lead to lower abundances of fishes and invertebrates. Also, suspended solids can harm aquatic organisms by clogging gills, increasing susceptibility to disease, slowing growth rates, and preventing the development of larvae and eggs.

REP schools choose one of three different methods to measure turbidity, which yield results in three different units: feet and inches (using a secchi disk), Jackson Turbidity Units (using a field test kit), and Nephelometer Turbidity Units (using a turbidimeter). Note that previous reports included the Q-value to compare these values. Since NTU = JTU (the units simply reference the method that was used, but are equal to each other), this and future reports will include the average NTU/JTU result.

Total solids

As opposed to turbidity, measuring total solids gives a more quantitative indication of the amount of dissolved and suspended material in water. Suspended solids are matter that can be trapped by a filter, such as soil particles, sewage, plankton, and industrial wastes. These are the materials typically considered to cause changes in turbidity and, as such, are associated with the effects listed above (*e.g.*, clogging gills, increasing disease susceptibility). Dissolved solids are matter that can pass through a filter, such as bicarbonate, calcium, phosphorus, iron, nitrogen, sulfur, and other ions. Dissolved solids can harm aquatic organisms in other ways. Among other effects, these materials control the flow of water to and from organisms' cells, and can affect their balance in the water column. Sources of total solids include urban runoff, lawn fertilizers, effluent from wastewater treatment plants, soil erosion, and decayed plant and animal matter. Results are commonly reported as milligrams of total solids per liter of water.

Biological Monitoring

Most elementary, middle, and high schools in the Rouge Education Project conduct biological monitoring by sampling for and identifying benthic macroinvertebrates. Teachers and select volunteers are trained in sampling and identification using protocol from the Michigan Clean Water Corps for volunteer water monitoring (Appendix II). Schools calculate a total stream quality score based on the type and quantity of benthic macroinvertebrates that they find; higher scores indicate better water quality. These data are not included in this report due to the often incorrect identification of the organisms. To find acceptable biological monitoring data, please refer to the Friends of the Rouge Benthic Macroinvertebrate Sampling Program results which can be found on the Friends of the Rouge

website. Biological monitoring was very limited during fall 2020 as a team of people are required to conduct sampling properly, and two schools and the Friends of the Rouge staff did not have the capacity to do so.

Benthic macroinvertebrates

Benthic macroinvertebrates are bottom-dwelling organisms without a backbone that are visible to the naked eye, such as aquatic insect larvae, crayfish, clams, snails, leeches, and aquatic worms. Some benthic invertebrates are very sensitive to pollution and are only found in pristine areas, while others have a high tolerance for pollution and can live in both pristine and lower quality areas. Thus, the types and abundance of benthic organisms collected in the river can be a key indicator of the water quality of an area over time.

Physical Monitoring

Elementary, middle, and high schools in the Rouge Education Project conduct physical monitoring by completing a physical stream survey (Appendix II). Most of the survey is qualitative, based on observations of the immediate site and surrounding land uses. Schools use this information to assess stream site conditions, compare results to the previous year(s), if applicable, and then are encouraged to discuss and form conclusions in reference to benthic and chemical sampling results. Results are not included in this report, but are available on the Friends of the Rouge website. Physical monitoring was also limited due to length of the survey and multiple individuals required to complete it during the COVID-19 pandemic.

Sampling Sites & School Location

REP 2020 Schools & Sampling Sites




Figure 3: Distribution of the fall 2020 school and monitoring sites (N = 11). The shaded area delineates the Rouge River watershed (as in Figure 2, above). Green and black triangles indicate sampling sites. Red push-pins indicate the school and office location.

Chemical Testing Results: Advanced Kits

The reporting data source is included with each subwatershed, and the resulting mean/median as appropriate. Friends of the Rouge was not able to collect a full range of samples due to defunct fecal coliform kits in addition to limited time/people to measure a change in temperature. Only one set of data were able to be collected from each site during this time period. Even though multiple trials of each test were conducted in most circumstances, scores reported for each parameter may not reflect a range large enough to draw a sound conclusion. Raw data are available at www.therouge.org and at the end of this report. Please note that the entity reporting is only listed for fall 2020.

Lower 1 Subwatershed

Reporting: Friends of the Rouge

Parameter	Fall 2019	Fall 2020	State of Michigan Standard (EGLE)
Dissolved oxygen (mg/L)		7.07	5 mg/L for warm water fish (bass, bluegill, pike)--most of Rouge River.
Fecal coliform (colonies/100 mL water)			<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*		8	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)		0.6	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)			Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)		0.8	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by EGLE. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)		41.4	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (JTU or NTU)		13	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)		634	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index		63	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

*pH values reported are the median, not the mean.

**At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

Lower 2 Subwatershed

Reporting: Friends of the Rouge, Inter-City Baptist School

Parameter	Fall 2019	Fall 2020	State of Michigan Standard (EGLE)
Dissolved oxygen (mg/L)	6.82	6.88	5 mg/L for warm water fish (bass, bluegill, pike)--most of Rouge River.
Fecal coliform (colonies/100 mL water)	175		<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	7.25	7.75	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)		0.6	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	0.65	0	Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	2.23	0.52	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by EGLE. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	34.4	41.2	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (JTU or NTU)	12	40	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	634	642	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	53	59	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

*pH values reported are the median, not the mean.

**At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

Main 1-2 Subwatershed

Reporting: Friends of the Rouge

Parameter	Fall 2019	Fall 2020	State of Michigan Standard (EGLE)
Dissolved oxygen (mg/L)	7.63	8.89	5 mg/L for warm water fish (bass, bluegill, pike)--most of Rouge River.
Fecal coliform (colonies/100 mL water)	80		<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	7.8	8	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	2.07	1.1	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	0.67		Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	0.44	0.1	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by EGLE. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	5.2	1.3	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (JTU or NTU)	12	7	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	287	718	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	75	83	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor
<p>*pH values reported are the median, not the mean. **At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.</p>			

Main 3-4 Subwatershed

Reporting: Friends of the Rouge

Parameter	Fall 2019	Fall 2020	State of Michigan Standard (EGLE)
Dissolved oxygen (mg/L)		6.52	5 mg/L for warm water fish (bass, bluegill, pike)--most of Rouge River.
Fecal coliform (colonies/100 mL water)			<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*		7.88	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)		1.25	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)			Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)		0.13	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by EGLE. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)		7.3	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (JTU or NTU)		23	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)		664	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index		70	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

*pH values reported are the median, not the mean.

**At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

Middle 1 Subwatershed

Reporting: Friends of the Rouge, Steppingstone School

Parameter	Fall 2019	Fall 2020	State of Michigan Standard (EGLE)
Dissolved oxygen (mg/L)	7.6	7.69	5 mg/L for warm water fish (bass, bluegill, pike)--most of Rouge River.
Fecal coliform (colonies/100 mL water)	100	300	<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	7.50	7.63	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	1.55	0.65	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	2.4	0	Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	3.50	0.06	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by EGLE. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	1.30	28.6	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (JTU or NTU)	13	6	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	544	828	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	67	71	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

*pH values reported are the median, not the mean.

**At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

Middle 3 Subwatershed

Reporting: Crestwood High School, Huron Valley Lutheran High School

Parameter	Fall 2019	Fall 2020	State of Michigan Standard (EGLE)
Dissolved oxygen (mg/L)	8.15	9.32	5 mg/L for warm water fish (bass, bluegill, pike)--most of Rouge River.
Fecal coliform (colonies/100 mL water)	1022	367	<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	8.00	7.69	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	3.66	2.79	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	0.33	0	Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	0.22	0.62	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by EGLE. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	5.4	0.5	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (JTU or NTU)	16	8	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	529	803	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	67	71	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor
<p>*pH values reported are the median, not the mean. **At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.</p>			

Upper Subwatershed

Schools reporting: Friends of the Rouge

Parameter	Fall 2019	Fall 2020	State of Michigan Standard (EGLE)
Dissolved oxygen (mg/L)	8.74	8.69	5 mg/L for warm water fish (bass, bluegill, pike)--most of Rouge River.
Fecal coliform (colonies/100 mL water)	145		<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	8.00	8.5	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	2.47	1.4	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	0		Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	0.07	0.1	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by EGLE. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	10.3	13.2	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (JTU or NTU)	16	9	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	566	827	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	75	72	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor
<p>*pH values reported are the median, not the mean. **At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.</p>			

Figures

Mean results for each parameter are shown below. Results with zero or one colored bar(s) present indicate that data were not available in one or both sampling seasons. Data depicted are from the advanced set of chemical data. Not every school reporting could associate the same degree of confidence in their data collection and calculation of final values, therefore standard error bars have been excluded from figures.




Figure 4: DISSOLVED OXYGEN results from fall 2019 and 2020 monitoring. Results were not available for the Lower 1 or Main 3-4 in 2019.




Figure 5: FECAL COLIFORM results for fall 2019 and 2020 monitoring. Results are presented on a logarithmic scale. Results were not available from the Lower 1 in 2019 or 2020, the Lower 2 in 2020, the Main 1-2 in 2020, the Main 3-4 in 2019 or 2020, or the Upper in 2020.




Figure 6: pH results for fall 2019 and 2020 monitoring. Results depict the median value of those collected in each subwatershed. Results were not available for the Lower 1 or Main 3-4 in 2019.




Figure 7: BIOCHEMICAL OXYGEN DEMAND results for fall 2019 and 2020 monitoring. Results were not available for the Lower 1, Lower 2, or Main 3-4 in 2019.




Figure 8: CHANGE IN TEMPERATURE results for fall 2019 and 2020 monitoring. Results were not available for the Lower 1 in 2019 or 2020, the Main 1-2 in 2020, the Main 3-4 in 2019 or 2020 or the Upper in 2020. Lower 2, Middle 1, and Middle 3 results in 2020 were 0 degrees Celsius.




Figure 9: TOTAL PHOSPHATE results for fall 2019 and 2020 monitoring. Results were not available from the Lower 1 or Main 3-4 in 2019.




Figure 10: NITRATE results for fall 2019 and 2020 monitoring. Results were not available for the Lower 1 or Main 3-4 in 2019.




Figure 11: TURBIDITY results for fall 2019 and 2020 monitoring. Results were not available for the Lower 1 or Main 3-4 in 2019.




Figure 12: TOTAL SOLIDS results for fall 2019 and 2020. Results were not available for the Lower 1 or Main 3-4 in 2019.

Overall Water Quality




Figure 13: OVERALL WATER QUALITY INDEX for the seven subwatersheds of the Rouge River basin for fall 2019 and 2020. Water quality is measured on a 0-100 scale, with higher numbers reflecting relatively better water quality conditions. Water quality categories based on Q-values are as follows: 91-100 = Excellent; 71-90 = Good; 51-70 = Medium/average; 26-50 = Fair; 0-25 = Poor. Data were not available for the Lower 1 or Main 3-4 in 2019.




Figure 14: OVERALL WATER QUALITY INDEX for the entire Rouge River watershed (as sampled by REP participants) from spring 2010 through fall 2020. Water quality categories based on Q-values are as follows: 91-100 = Excellent; 71-90 = Good; 51-70 = Medium/average; 26-50 = Fair; 0-25 = Poor.

Chemical Testing Results: EZ-Tab Kits

EZ-Tab results are categorized for each parameter measured according to a range of possible results. Schools used the LaMotte brand GREEN Low-Cost Water Quality Monitoring Kit. The “Overall Water Quality” score is ranked on a 1-4 scale (4.0 = Excellent; 3.0 = Good; 2.0 = Fair; 1.0 = Poor). Results in the tables below represent the mean (or raw in the case of only one school representing a subwatershed). As of fall 2016, a new data sheet reflecting measured results (instead of the resulting “Excellent / Good / Fair / Poor” values) was introduced. Please note that no data from the EZ tab kits are available for 2020.

Lower 1 Subwatershed

Schools reporting: None

Lower 2 Subwatershed

Schools reporting: None

Main 1-2 Subwatershed

School reporting: None

Main 3-4 Subwatershed

Schools reporting: None

Middle 1 Subwatershed

Schools reporting: None

Middle 3 Subwatershed

Schools reporting: None

Upper Subwatershed

Schools reporting: None

Notable Results & Discussion

Fall Monitoring 2020

It is important to note that some subwatersheds had very few sites monitored, and not every school or organization that participated reported data for each water quality parameter. Hence, these results may not fully represent the overall health of each subwatershed.

Overall, most parameters fell within the defined standards for the state of Michigan (and within ranges expected for the Rouge River). High values of note include 41.4 mg/L and 41.2 mg/L of nitrates in the Lower branch, and 28.6 mg/L of nitrates on the Middle branch. These values are possible, and may indicate the need for further investigation.

All other parameters in these subwatersheds were within relatively “normal” ranges. Chemical analysis reflects a snapshot of conditions at the time of sampling. Unfortunately, the fecal coliform test kits typically used were defunct. After three attempts to acquire functioning kits and retest, it was deemed improbable to get accurate fecal coliform data from this time period. The supplier was undergoing changes to the manufacturing process which impacted kit performance.

Water levels and weather were ideal for most sampling events, there had not been much rain (Figure 15). Note the water level was very close to the 14-year median daily statistic.




Figure 15: Streamflow data from the United States Geological Survey gage on the Lower Rouge River. Data are shown for the week prior to sampling (September 26, 2020) to the conclusion of all sampling events (October 21, 2020). Seventeen year (17) year median data are depicted by the orange triangles, and the daily mean of stream discharge for the time period under consideration is depicted by the solid blue line.

Overall Summary & Conclusions

Overall water quality results from fall 2020 appear to fall in line with results observed over the past 10 years (Figure 14). The Rouge River system remained on the high-end of the “Medium” water quality category (water quality index between 51-70). These data are largely incomplete from previous years due to the COVID-19 pandemic. Very few schools were able to test, and Friends of the Rouge staff were only able to visit one site in each subwatershed to collect limited data. Defunct fecal coliform kits prevented getting results for most subwatersheds. Time doing solo fieldwork was limited. This report reflects what could be done considering the circumstances.

Nitrate values were so high that a new nitrate kit needed to be purchased and results confirmed with Diana Johns at Crestwood High School using her spectrophotometer. High nitrate values and elevated total phosphate values continue on the Lower branch, with the addition of a new sampling site with high nitrate values that was unexpected on the Middle branch at Rotary Park in Novi. Some of these sites had not been sampled in many years, providing a unique look at conditions.

Turbidity values were fairly low overall due to the relatively dry conditions during sampling, despite one school that sampled later in October after some rain, increasing levels in the Lower 2 subwatershed. The few fecal coliform results that were able to be collected were in-line with results expected during dry-weather. Phosphate values were also lower than 2019 for the Lower 2, Main 1-2, and Middle 1 subwatersheds. Total solids continues to be high, which is typical for all branches of the Rouge.

No change of temperature data were able to be collected from Friends of the Rouge. Only one staff person visited every site, and it was too time consuming to identify a safe location and collect the temperature a mile upstream for each site. This parameter is only recommended when at least two people are available to safely visit sites along the river simultaneously. As mentioned previously, time spent at each site was minimal for Friends of the Rouge.

As in the spring, a special webpage hosted on therouge.org was created to share the results of monitoring. A map including photos and videos of each sampling site was created with Google Maps, and raw data were compiled into a spreadsheet to allow students not able to participate in-person the opportunity to practice calculating overall water quality scores using real Rouge River data.

As mentioned previously in this report, not every school used the same set of water quality monitoring equipment, performed the same number of trials for each parameter, or conducted sampling at the same day and time. Fall 2020 had slightly more involvement than spring 2020 due to adaptations and strict COVID prevention protocols at a handful of schools, which allowed their participation with very small groups of students. The spread of COVID is less likely in an outdoor setting, and proved to be a safe activity for our schools with mask-wearing and physical distancing in place.

Highlighted throughout this report, it is important to note that REP data are strictly intended to be used as part of the program's mission to promote environmental awareness and stewardship of the Rouge River watershed through long-term monitoring efforts. While REP staff makes every effort to verify with participating teachers and correct data as necessary, results are not yet collected or recorded with a level of accuracy or confidence so as to allow them to be used for scientific or analytical purposes. This data summary report represents one of many possible methods of water quality monitoring investigation and analysis, and schools are encouraged to conduct their own study and report. The REP continues to strive to find methods that make data collection, reporting, and interpretation as straightforward as possible.

2020 marked the 33rd year of the Rouge Education Project. The staff of the Rouge Education Project wish to thank the educators that worked very hard to make this experience happen in-person for their students during an unprecedented time, and for the sponsors and grantors who made the program possible. Circumstances in the formal education sector are ever-changing due to the pandemic, and the Rouge Education Project will continue to adapt to bring water quality monitoring and results to young people the best that we can.

2020 Rouge Education Project Supporters



Community
Foundation
FOR SOUTHEAST
MICHIGAN



Mercedes-Benz
Financial Services

DTE
Foundation



Partners



THE GLOBE PROGRAM

2020 Friends of the Rouge Featured Supporters



BOSCH



Fred A. and Barbara M.
Erb Family Foundation

Appendix I: Fall 2020 Participating Organizations

Rouge Education Project: Fall 2020				
Organization/School	City	Educator First Name	Last Name	# students
Crestwood High School	Dearborn Heights	Diana	Johns	5
Friends of the Rouge	Plymouth	Erin	Cassady	0
Huron Valley Lutheran High School	Westland	Steve	Grosinske	12
Inter-City Baptist School	Allen Park	Josh	Hubbard	26
Steppingstone School	Plymouth	Reef	Morse	5
		Teresa	Lindenmuth-Louk	
		Mary	Manzo	
TOTALS			6*	48

**Erin Cassady from Friends of the Rouge is not included in the Educator total*

Appendix II: Rouge Education Project Data Forms

Below are examples of REP data forms.

- Understanding "Q-Value" and "Overall Water Quality"
- Advanced Chemical Data Worksheet
- Calculating Overall Water Quality
- Calculating Overall Water Quality Tests Adjustment Formula

UNDERSTANDING Q-VALUE & OVERALL WATER QUALITY

After each chemical test is completed a “Q-Value” must be determined for that specific test. What is a Q-Value?

According to the Friends of the Chicago River,

A Q-value is a way of standardizing all the different water quality test results so that they can be combined and used to find an overall water quality value for the river. You can think of the Q-value like a score on a test. Less than 50 is like a failing grade, whereas 90 or more is like an “A.”

For example, please refer to the “pH Test Results” Q-value chart. It can be noted that a pH of 7 results in a Q-value of approximately 90. By thinking of the Q-value as a grade on a test, it would appear rivers with a pH of 7 score a 90%, or an A. This makes sense since a pH of 7 would be neither too basic nor too acidic for most wildlife to live in. A pH of 10, on the other hand, receives a Q-value of 20 while a pH of 4 receives a Q-value of 10. Both of these Q-values are very low (a failing grade!), indicating that the water is either too basic or too acidic.

Once the Q-value is identified for a particular test that Q-value must be multiplied by that particular test’s ‘weighting factor’. The weighting factor is a number that indicates the importance of each parameter (D.O., pH, etc.) in determining overall water quality. Parameters with higher weighing factors are considered more important in determining the water quality than parameters with smaller weighing factors.

For example, please refer to the “Calculating Overall Water Quality” worksheet. Dissolved oxygen and fecal coliform have the highest weighting factors, with .17 and .16 respectively. These numbers indicate that water quality, or the health of the river, is greatly dependant on how much oxygen is present in the water and how many colonies of fecal coliform are present. Using a ‘weighting factor’ is necessary to demonstrate that some parameters have a greater effect on water quality than other parameters. Dissolved oxygen has a greater influence on water quality than turbidity.

Finally, add up all of the numbers in the last column (on the “Calculating Overall Water Quality” page). This sum will result in the Overall Water Quality. The chart below matches Overall Water Quality scores with actual overall water quality.

91-100	Excellent
71-90	Good
51-70	Medium or average
26-50	Fair
0-25	Poor

NOTE: *Please remember this is simply a tool for environmental education. It is a way to help participants understand the chemical test results.*

Name of group _____	Date _____ / _____ / _____
Location/Site ID _____	Time _____ : _____ am or pm
City/Township _____	

Chemical Test Results

Dissolved Oxygen	1. Titrator Reading _____ mg/L 2. Titrator Reading _____ mg/L 3. Titrator Reading _____ mg/L 4. Titrator Reading _____ mg/L 5. Titrator Reading _____ mg/L	Throw out the high and low value, average the remaining three.	Water temperature _____ °C Correction Factor _____ _____ % saturation Calculate the average of the remaining three: _____ Q-Value (1) _____ + (2) _____ + (3) _____ = _____ ÷ 3 = _____ Average titrator reading _____ mg/L (uncorrected DO) x correction factor _____ = _____ mg/L (corrected DO)
Fecal Coliform	$\frac{\text{_____ \# of colonies}}{\text{_____ sample size (mL)}} = \frac{\text{X}}{100\text{mL}} \quad \text{X} =$ $\frac{\text{_____ \# of colonies}}{\text{_____ sample size (mL)}} = \frac{\text{X}}{100\text{mL}} \quad \text{X} =$ $\frac{\text{_____ \# of colonies}}{\text{_____ sample size (mL)}} = \frac{\text{X}}{100\text{mL}} \quad \text{X} =$ $\frac{\text{_____ \# of colonies}}{\text{_____ sample size (mL)}} = \frac{\text{X}}{100\text{mL}} \quad \text{X} =$ $\frac{\text{_____ \# of colonies}}{\text{_____ sample size (mL)}} = \frac{\text{X}}{100\text{mL}} \quad \text{X} =$	Use highest value	_____ # of colonies/100mL _____ Q-Value
pH	1. Comparator reading _____ 2. Comparator reading _____ 3. Comparator reading _____ 4. Comparator reading _____ 5. Comparator reading _____	Find median value	Line up results from lowest to highest and circle the median: _____ pH (1) _____ (2) _____ (3) _____ (4) _____ (5) _____ _____ Q-Value

Chemical Test Results (continued)

Biochemical Oxygen Demand	Run the dissolved oxygen test on a water sample that has not been exposed to light for five days. No correction factor necessary.	DO result from sample that has been incubated five days	Throw out the high and low values, average the remaining three	_____ mg/L	
		1. _____ mg/L		Calculate the average: _____ mg/L	
		2. _____ mg/L		_____ Q-Value	
		3. _____ mg/L		(1)_____ + (2)_____ + (3)_____ = _____ ÷ 3 = _____	
		4. _____ mg/L		Uncorrected DO in mg/L _____ - Average DO result in mg/L _____ = _____	
		5. _____ mg/L		(original sample) (incubated sample)	
Change in Temperature	_____ °C (Downstream) - _____ °C (Upstream one mile) =	Throw out the high and low values, average the remaining three	Calculate the average:		
	_____ °C (Downstream) - _____ °C (Upstream one mile) =		(1)_____ + (2)_____ + (3)_____ = _____ ÷ 3 = _____		
	_____ °C (Downstream) - _____ °C (Upstream one mile) =				_____ °C
	_____ °C (Downstream) - _____ °C (Upstream one mile) =				_____ Q-Value
	_____ °C (Downstream) - _____ °C (Upstream one mile) =				
	_____ °C (Downstream) - _____ °C (Upstream one mile) =				
Total Phosphate	1. _____ mg/L PO ₄	Throw out the high and low value, average the remaining three.	Calculate the average of the remaining three:	_____ mg/L	
	2. _____ mg/L PO ₄		(1)_____ + (2)_____ + (3)_____ = _____ ÷ 3 = _____	_____ Q-Value	
	3. _____ mg/L PO ₄				
	4. _____ mg/L PO ₄				
	5. _____ mg/L PO ₄				

Nitrates	1. Comparator reading _____ mg/L x 4.4 = _____ 2. Comparator reading _____ mg/L x 4.4 = _____ 3. Comparator reading _____ mg/L x 4.4 = _____ 4. Comparator reading _____ mg/L x 4.4 = _____ 5. Comparator reading _____ mg/L x 4.4 = _____	Throw out the high and low value, average the remaining three.	Calculate the average of the remaining three: _____ mg/L _____ Q-Value (1) _____ + (2) _____ + (3) _____ = _____ ÷ 3 = _____
Turbidity	1. # of additions _____ = _____JTU 2. # of additions _____ = _____JTU 3. # of additions _____ = _____JTU 4. # of additions _____ = _____JTU 5. # of additions _____ = _____JTU	Throw out the high and low value, average the remaining three.	Calculate the average of the remaining three: _____JTU _____ Q-Value (1) _____ + (2) _____ + (3) _____ = _____ ÷ 3 = _____
Total Solids	$\frac{\text{weight of residue}}{100\text{mL}} \times \frac{1000\text{mg}}{1 \text{ gram}} \times \frac{1000\text{mL}}{1 \text{ liter}} = \underline{\hspace{2cm}} \text{ mg/L}$ $\frac{\text{weight of residue}}{100\text{mL}} \times \frac{1000\text{mg}}{1 \text{ gram}} \times \frac{1000\text{mL}}{1 \text{ liter}} = \underline{\hspace{2cm}} \text{ mg/L}$ $\frac{\text{weight of residue}}{100\text{mL}} \times \frac{1000\text{mg}}{1 \text{ gram}} \times \frac{1000\text{mL}}{1 \text{ liter}} = \underline{\hspace{2cm}} \text{ mg/L}$ $\frac{\text{weight of residue}}{100\text{mL}} \times \frac{1000\text{mg}}{1 \text{ gram}} \times \frac{1000\text{mL}}{1 \text{ liter}} = \underline{\hspace{2cm}} \text{ mg/L}$ $\frac{\text{weight of residue}}{100\text{mL}} \times \frac{1000\text{mg}}{1 \text{ gram}} \times \frac{1000\text{mL}}{1 \text{ liter}} = \underline{\hspace{2cm}} \text{ mg/L}$	Throw out the high and low value, average the remaining three.	Calculate the average of the remaining three: (1) _____ + (2) _____ + (3) _____ = _____ mg/L ÷ 3 = _____ Q-Value
<p>Congratulations! You've completed all of the tests. Please complete the Calculating Overall Water Quality Data Sheet to determine your site's overall water quality score.</p> <p><i>If you were not able to complete one to three of the tests, please use the adjustment formula on the back of the Calculating Overall Water Quality Data Sheet.</i></p>			

Name of group _____	Date / / _____
Location/Site ID _____	Time : am or pm _____
City/Township _____	

Chemical Test Results

Water Test	Test Result	Q-value		Weighting Factor		Water Quality Index
1. Dissolved Oxygen – DO	mg/L	% saturation	X	0.17	=	
2. Fecal Coliform—FC		colonies/100mL	X	0.16	=	
3. pH		units	X	0.11	=	
4. Biochemical Oxygen Demand—BOD		mg/L	X	0.11	=	
5. Change in Temperature—Temp		°C	X	0.10	=	
6. Total Phosphate—TP		mg/L	X	0.10	=	
7. Nitrates—NO ₃		mg/L or ppm	X	0.10	=	
8. Turbidity—Turb		NTU/JTU or feet	X	0.08	=	
9. Total Solids—TS		mg/L	X	0.07	=	

-To determine Q-value, use the weighting curve charts from the *Field Manual for Water Quality Monitoring*.
 -Multiply the Q-value by the weighting factor to get your water quality index.
 -Add up the nine water quality index values to determine your overall water quality score.
 Note: If you're missing up to three test results, please use the adjustment formula (on back) to calculate an adjusted overall water quality index.

91-100	Excellent
71-90	Good
51-70	Medium
26-50	Fair
0-25	Poor

Overall Water Quality

Adjusted Value
(if applicable)

If you're missing one to three test results, use the adjustment formula. The adjustment formula provides you with an Overall Water Quality value that is relative to the value you would have gotten if you performed all nine water quality tests. If you're missing more than three test results, leave the Water Quality Index blank and do not use the adjustment formula.

1. Add together the Water Quality Index Values from the tests you performed.					
2. Add together the weighting factors from the tests you performed.					
3. Divide 1 by the weighting factor total you found in Step 2.	1	÷		=	
4. Multiply your total from Step 1 by the number you found in Step 3. This is your adjusted water quality index.		x		=	

EXAMPLE

Water Test	Q-value		Weighting Factor	=	Water Quality Index
1. DO	90	X	0.17	=	15.30
2. FC	44	X	0.16	=	7.04
3. pH	84	X	0.11	=	9.24
4. BOD	67	X	0.11	=	7.37
5. Temp		X	0.10	=	
6. TP	40	X	0.10	=	4.00
7. NO ₃	26	X	0.10	=	2.60
8. Turb	57	X	0.08	=	4.56
9. TS		X	0.07	=	

1. Add together the Water Quality Index Values from the tests you performed.	15.30 + 7.04 + 9.24 + 7.37 + 4.00 + 2.60 + 4.56 = 50.11				
2. Add together the weighting factors from the tests you performed.	0.17 + 0.16 + 0.11 + 0.11 + 0.10 + 0.10 + 0.08 = 0.83				
3. Divide 1 by the weighting factor total you found in Step 2.	1	÷	0.83	=	1.20
4. Multiply your total from Step 1 by the number you found in Step 3. This is your adjusted water quality index.	50.11	x	1.20	=	60.13 ≈ 60