# Spring 2020

# Rouge Education Project: Data Summary Report



# Friends of ROUGE

Friends of the Rouge

Plymouth, Michigar

www.therouge.org

Published October 2020

# **Table of Contents**

Introduction	3
History of the Rouge Education Project	3
How Data are Used	3
Michigan Watersheds & the Rouge River Basin	4
Water Quality Monitoring Parameters	6
Chemical Monitoring	6
Biological Monitoring	8
Physical Monitoring	9
Sampling Sites & School Location	10
Chemical Testing Results: Advanced Kits*	11
Lower 1 Subwatershed	11
Lower 2 Subwatershed	12
Main 1-2 Subwatershed	12
Main 3-4 Subwatershed	13
Middle 1 Subwatershed	14
Middle 3 Subwatershed	15
Upper Subwatershed	16
Figures	17
Overall Water Quality	22
Chemical Testing Results: EZ-Tab Kits	23
Lower 1 Subwatershed	23
Lower 2 Subwatershed	23
Main 1-2 Subwatershed	23
Main 3-4 Subwatershed	23
Middle 1 Subwatershed	23
Middle 3 Subwatershed	23
Upper Subwatershed	23
Notable Results & Discussion	24
Spring Monitoring 2020	24
Overall Summary & Conclusions	25
2020 Select Friends of the Rouge Supporters	27

# Introduction

# **History of the Rouge Education Project**

The Rouge Education Project (REP) is a school-based watershed education and water quality monitoring program coordinated by Friends of the Rouge. Its mission is to promote awareness and stewardship of the Rouge River watershed through school-based water quality monitoring, investigation, and problem solving. The program's major objectives are to:

- Provide opportunities for schools to engage students in hands-on, real world science through water quality monitoring of the Rouge River;
- increase participants' awareness of the Rouge River watershed, how they impact it, and how it impacts them; and
- empower participants to apply knowledge and awareness gained through the REP to identify and address environmental issues in the Rouge River watershed and beyond

The Rouge Education Project began in 1987 with 16 high schools. During spring 2020, the world was grappling with a new Coronavirus, COVID-19, which became a worldwide pandemic. In response to the pandemic and rising death toll, schools were closed state-wide in Michigan and spring monitoring as usual was unable to take place. The Friends of the Rouge Education Manager and one teacher were, separately, able to collect some chemical data during this time. Therefore, this report will look very different from prior reports. Diana Johns from Crestwood High School sampled on May 4<sup>th</sup>, and Erin Cassady from Friends of the Rouge sampled on May 6<sup>th</sup> and 7<sup>th</sup>.

Results throughout this report are organized by the seven subwatersheds that comprise the Rouge River basin: Lower 1 and Lower 2 (encompassing the Lower Branch of the river), Main 1-2 and Main 3-4 (encompassing the Main Branch of the river and the Main Stem downstream of the confluence of all branches), Middle 1 and Middle 3 (encompassing the Middle Branch of the river), and Upper (encompassing the Upper Branch of the river).

Friends of the Rouge used a combination of *LaMotte* brand water test kits and a Hach® Total Phosphate testing kit for chemical analyses. Diana Johns used a series of Hach® brand testing kits and/or digital testing probes and meters. This report, additional data, and program information also are available on the Friends of the Rouge website at <a href="https://www.therouge.org">www.therouge.org</a>.

#### **How Data are Used**

As noted above, the REP mission is to promote and increase each student's environmental awareness and sense of stewardship within his or her local watershed. As such, data are not intended to meet the same standards of collection and use as other, more scientifically rigorous programs. While REP staff continues to develop effective quality assurance/quality control methods to ensure that the data are as consistent and reliable as possible, REP results are used primarily for educational awareness and demonstrate an exercise in field water quality monitoring and analysis for school groups.

# Michigan Watersheds & the Rouge River Basin

Michigan is home to numerous wetlands, streams, and rivers. Figure 1 displays the general division of watersheds throughout the state. Areas that are left un-shaded are areas with many small streams and no major river body.



Figure 1: Major watersheds of Michigan. The red outline depicts the Rouge River basin. (Image courtesy of Michigan State University.)

Scaling down to the Rouge from the state level, the river is divided into seven smaller drainage basins called "sub-watersheds." These subwatersheds (Figure 2) comprise the four branches of the Rouge River: the Main, Upper, Middle, and Lower branches. All four branches flow into the Main Stem, which empties into the Detroit River. The Rouge River watershed is approximately 467 square miles in area and is home to 1.35 million people in 48 communities.




Figure 2: Seven subwatersheds that make up the Rouge River basin in Michigan

# **Water Quality Monitoring Parameters**

Schools participating in the Rouge Education Project are encouraged to follow the procedures recommended in the Mark K. Mitchell & Wiliam B. Stapp *Field Manual for Water Quality Monitoring*. The Rouge Education Project was the first large-scale sampling event of its kind using this protocol.

# **Chemical Monitoring**

Schools participating in the REP monitor up to nine chemical water quality parameters (described below). These include dissolved oxygen, fecal coliform bacteria, pH, biochemical oxygen demand (BOD), change in temperature, total phosphates, nitrates, turbidity, and total solids (though elementary schools do not conduct the latter).

Middle and high schools that monitor at least six chemical parameters calculate an overall water quality value (index) for their sampling site, which is based on all of their chemical test results. This value, dubbed the "Q" value, is on a scale of zero to 100, with higher numbers indicating relatively better water quality (Appendix II). Chemical testing techniques reveal a snapshot of water conditions at the time of sampling opposed to conditions over time.

### **Dissolved oxygen**

Oxygen from the atmosphere is mixed into water by waves and turbulent motion. Algae and rooted aquatic plants also put oxygen into water through photosynthesis. Most aquatic plants and animals must have some amount of oxygen to survive. Waters with consistently high levels of dissolved oxygen (DO) are considered to be stable ecosystems and able to support diverse populations of organisms. DO results are commonly reported as milligrams of oxygen per liter of water (mg/L), and are considered in terms of the tolerance of certain organisms, particularly fishes, to low (*i.e.*, stressful) levels. DO levels below 3.0 mg/L are considered too low to sustain fish populations.

#### Fecal coliform bacteria

Feces of humans and other warm-blooded animals contain *E. coli* and other types of fecal coliform bacteria. These bacteria themselves do not normally cause disease or illness, but if levels are high, it is more likely that other pathogens are present in the water. Sources of fecal coliform in the river include discharged sewage, wildlife wastes, and runoff from pet waste and livestock. It is important to note that in the Rouge, fecal coliform levels tend to be much higher after rain or snowmelt than during dry periods. During heavy rains and snowmelt, animal wastes are washed into the river and combined sewer systems may overflow, releasing raw or partially treated sewage. Results are commonly reported as the number of colonies of fecal coliform bacteria per 100 milliliters of water.

#### pH

Water (H<sub>2</sub>O) is composed of hydroxide (OH<sup>-</sup>) and hydrogen (H<sup>+</sup>) ions. The pH test, which stands for "potential of hydrogen," measures the concentration of H<sup>+</sup> ions in a given water sample (*i.e.*, the potential to "give away" excess hydrogen ions). pH values range from zero to 14. A pH of 7 is considered neutral, less than 7 is acidic, and greater than 7 is basic. The pH of water in the U.S. is usually between 6.5 and 8.5. Most organisms cannot live in water that has high or low pH values (more than 9.6 or less than 4.5). The pH is commonly reported as pH units. It is important to note that pH

values are logarithmic (pH=  $-log[H^+]$ ) and, therefore, cannot be averaged to express central tendency (i.e., mean). Instead, median values are used to express central tendency.

# **Biochemical oxygen demand**

Biochemical oxygen demand (BOD) is the measure of the amount of oxygen used by aerobic (airbreathing) microorganisms, such as bacteria and fungi, as they feed upon decomposing organic matter, such as dead aquatic plants. Inputs of phosphates and nitrates to water bodies stimulate the growth of aquatic plants. As these plants die and decompose over time, more and more oxygen is removed from the water by the microorganisms that break them down. High BOD levels can lead to fish kills as the aerobic bacteria use up the dissolved oxygen that fish need to live. BOD results are commonly reported as milligrams of oxygen per liter of water.

#### **Change in temperature**

For this test, water temperature is measured both at the sampling site and one mile upstream. The upstream temperature is then subtracted from the downstream temperature to determine the change in temperature. Most physical, biological, and chemical processes in a river are directly affected by temperature. For example, temperature affects the amount of dissolved oxygen in water (cold water holds more oxygen than warm water), the rate of photosynthesis in plants, the metabolic rate of aquatic animals, and the sensitivity of organisms to pollution, disease, and parasites. Changes in water temperature may be the result of thermal pollution (adding warm water to a body of water), changes in the amount of shade over the river, and soil erosion (soil particles suspended in water absorb heat from sunlight). Results for this metric are commonly reported as degrees Celsius.

## **Total phosphates**

Phosphorus is a nutrient that plants need to grow. In most waters, phosphorus is present in very low concentrations, which limits plant growth. However, phosphorus is added to water through human and industrial wastes, fertilizers, and processes that disturb land vegetation. When human activities increase the rate of the supply of phosphorus (and/or other "organic matter") to a water body, it is called cultural eutrophication. The addition of excess nutrients, such as phosphorus, stimulates plant growth and can cause dramatic growth ("blooms") of resident algae and other vegetation. When this vegetation decomposes, dissolved oxygen levels drop dramatically, especially near the bottom of the body of water. Results are commonly reported as milligrams of total phosphate per liter of water.

#### Nitrates

All plants and animals require nitrogen to build protein. In freshwater systems, nitrogen is naturally more abundant than phosphorus and is most commonly found in its dissolved, atmospheric form ( $N_2$  gas). However, this is not readily available for use by most aquatic plants and must be converted to ammonia ( $NH_3$ ) and nitrates ( $NO_3^-$ ). In these forms, nitrogen acts as a plant nutrient, loadings of which can contribute to eutrophication (see *Total phosphates* section above). Plants are less sensitive to changes in ammonia and nitrate levels than they are to phosphorus, however, because nitrogen so rarely limits plant growth (since it is naturally more abundant than phosphorus in freshwater environments). Excess nitrogen is added to rivers by humans through sewage, fertilizers, and runoff from dairies and barnyards. Results are commonly reported as milligrams of nitrates per liter of water.

Note that, as of spring 2013, results for this parameter are not comparable with nitrate findings from historical REP data. This is due to the fact that a conversion factor was introduced and used to account for the entire nitrate compound, as opposed to the isolated nitrogen molecule, which is solely what the LaMotte-brand testing kit measures.

#### **Turbidity**

Turbidity is a measure of water clarity; murky or cloudy water has a high turbidity, while clear water has a low turbidity. Suspended solids – such as soil particles, sewage, plankton, and industrial wastes – increase turbidity and decrease the transmission of light. Turbid waters are warmer (see *Change in temperature* section above) and allow less sunlight through for photosynthesis to occur in aquatic plants. In turn, warmer water contains less oxygen for organisms to utilize, which can lead to lower abundances of fishes and invertebrates. Also, suspended solids can harm aquatic organisms by clogging gills, increasing susceptibility to disease, slowing growth rates, and preventing the development of larvae and eggs.

REP schools choose one of three different methods to measure turbidity, which yield results in three different units: feet and inches (using a secchi disk), Jackson Turbidity Units (using a field test kit), and Nephlometer Turbidity Units (using a turbidimeter). To facilitate comparison, these results are converted to a Q-value, which is a scale of approximately zero to 100. As with the overall water quality index (see above), the higher the Q-value, the lower the turbidity, and the better the water quality.

#### **Total solids**

As opposed to turbidity, measuring total solids gives a more quantitative indication of the amount of dissolved and suspended material in water. Suspended solids are matter that can be trapped by a filter, such as soil particles, sewage, plankton, and industrial wastes. These are the materials typically considered to cause changes in turbidity and, as such, are associated with the effects listed above (e.g., clogging gills, increasing disease susceptibility). Dissolved solids are matter that can pass through a filter, such as bicarbonate, calcium, phosphorus, iron, nitrogen, sulfur, and other ions. Dissolved solids can harm aquatic organisms in other ways. Among other effects, these materials control the flow of water to and from organisms' cells, and can affect their balance in the water column. Sources of total solids include urban runoff, lawn fertilizers, effluent from wastewater treatment plants, soil erosion, and decayed plant and animal matter. Results are commonly reported as milligrams of total solids per liter of water.

# **Biological Monitoring**

Most elementary, middle, and high schools in the Rouge Education Project conduct biological monitoring by sampling for and identifying benthic macroinvertebrates. Teachers and select volunteers are trained in sampling and identification using protocol from the Michigan Clean Water Corps for volunteer water monitoring (Appendix II). Schools calculate a total stream quality score based on the type and quantity of benthic macroinvertebrates that they find; higher scores indicate better water quality. These data are not included in this report due to the often incorrect identification of the organisms. To find acceptable biological monitoring data, please refer to the Friends of the Rouge Benthic Macroinvertebrate Sampling Program results which can be found on the Friends of the Rouge

website. Biological monitoring was unable to take place during Spring 2020 as a team of people are required to conduct sampling properly, and groups were unable to gather due to the COVID-19 pandemic.

#### **Benthic macroinvertebrates**

Benthic macroinvertebrates are bottom-dwelling organisms without a backbone that are visible to the naked eye, such as aquatic insect larvae, crayfish, clams, snails, leeches, and aquatic worms. Some benthic invertebrates are very sensitive to pollution and are only found in pristine areas, while others have a high tolerance for pollution and can live in both pristine and lower quality areas. Thus, the types and abundance of benthic organisms collected in the river can be a key indicator of the water quality of an area over time.

# **Physical Monitoring**

Elementary, middle, and high schools in the Rouge Education Project conduct physical monitoring by completing a physical stream survey (Appendix II). Most of the survey is qualitative, based on observations of the immediate site and surrounding land uses. Schools use this information to assess stream site conditions, compare results to the previous year(s), if applicable, and then are encouraged to discuss and form conclusions in reference to benthic and chemical sampling results. Results are not included in this report, but are available on the Friends of the Rouge website. Physical monitoring was also unable to take place due to length of the survey and multiple individuals required to complete it during the COVID-19 pandemic.

# **Sampling Sites & School Location**

# **REP 2020 Schools & Sampling Sites**




Figure 3: Distribution of the spring 2020 school and monitoring sites (N = 17). The shaded area delineates the Rouge River watershed (as in Figure 2, above). Green and black triangles indicate sampling sites. Red push-pins indicate the school and office location.

# **Chemical Testing Results: Advanced Kits\***

The reporting data source is included with each subwatershed. Friends of the Rouge was not able to collect a full range of samples due to limited access to equipment during the COVID-19 pandemic. Only one set of data were able to be collected from each site during this time period. Even though multiple trials of each tests were conducted, scores reported for each parameter may not reflect a range large enough to draw a sound conclusion. Raw data are available at <a href="www.therouge.org">www.therouge.org</a> and at the end of this report. Please note that the entity reporting is only listed for spring 2020.

# **Lower 1 Subwatershed**

Reporting: None

# **Lower 2 Subwatershed**

Reporting: Friends of the Rouge

Parameter	Spring 2019 Mean	Spring 2020	State of Michigan Standard (MDEQ)
Dissolved oxygen (mg/L)	7.93	9.01	5 mg/L for warm water fish (bass, bluegill, pike)most of Rouge River.
Fecal coliform (colonies/100 mL water)	3311	150	<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	8	8	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	4.8	1.71	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	-0.5		Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	0.8	0.39	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by the MDEQ. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	9.2	39.6	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (Q-value)***	63	65	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	547		Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	56	60	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

<sup>\*</sup>pH values reported are the median, not the mean.

# Main 1-2 Subwatershed

Reporting: None

<sup>\*\*</sup>At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

<sup>\*\*\*</sup>See Turbidity paragraph in the Water Quality Parameters section for an explanation of Q-value.

# Main 3-4 Subwatershed

Reporting: Friends of the Rouge

Parameter	Spring 2019 Mean	Spring 2020	State of Michigan Standard (MDEQ)
Dissolved oxygen (mg/L)		8.5	5 mg/L for warm water fish (bass, bluegill, pike)most of Rouge River.
Fecal coliform (colonies/100 mL water)		200	<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*		8.0	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)		0.95	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)			Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)		0.20	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by the MDEQ. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)		1.1	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (Q-value)***		69	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)			Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index		78	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

<sup>\*</sup>pH values reported are the median, not the mean.

<sup>\*\*</sup>At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

<sup>\*\*\*</sup>See Turbidity paragraph in the Water Quality Parameters section for an explanation of Q-value.

# Middle 1 Subwatershed

Reporting: Friends of the Rouge

Parameter	Spring 2019 Mean	Spring 2020 Mean	State of Michigan Standard (MDEQ)
Dissolved oxygen (mg/L)	6.29	9.58	5 mg/L for warm water fish (bass, bluegill, pike)most of Rouge River.
Fecal coliform (colonies/100 mL water)	148.5		<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	7.75	8.0	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	2.32	1.25	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	1.15		Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	0.28	0.06	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by the MDEQ. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	2.7	<2.2	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (Q-value)***	65.5	84	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	978		Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	67	90	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

<sup>\*</sup>pH values reported are the median, not the mean.

<sup>\*\*</sup>At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

<sup>\*\*\*</sup>See Turbidity paragraph in the Water Quality Parameters section for an explanation of Q-value.

# Middle 3 Subwatershed

Reporting: Crestwood High School, Friends of the Rouge

Parameter	Spring 2019 Mean	Spring 2020 Mean	State of Michigan Standard (MDEQ)
Dissolved oxygen (mg/L)	8.05	8.76	5 mg/L for warm water fish (bass, bluegill, pike)most of Rouge River.
Fecal coliform (colonies/100 mL water)	1517	75	<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	7.97	8.05	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	2.45	1.43	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	0.33	0	Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	0.17	0.18	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by the MDEQ. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	5.67	0.4	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (Q-value)***	59	84	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	721.67	488	Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	66	79	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

<sup>\*</sup>pH values reported are the median, not the mean.

<sup>\*\*</sup>At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

<sup>\*\*\*</sup>See Turbidity paragraph in the Water Quality Parameters section for an explanation of Q-value.

# **Upper Subwatershed**

Schools reporting: Friends of the Rouge

Parameter	Spring 2019 Mean	Spring 2020	State of Michigan Standard (MDEQ)
Dissolved oxygen (mg/L)	9.85	7.6	5 mg/L for warm water fish (bass, bluegill, pike)most of Rouge River.
Fecal coliform (colonies/100 mL water)	78	150	<300 colonies <i>E. coli</i> /100 ml for total body contact (swimming), <1,000 colonies <i>E. coli</i> /100 ml for partial body contact (boating, fishing).
pH (pH units)*	7.65	8.0	6.5 to 9.0, any discharge into the river must not change the natural pH more than 0.5 units.
Biochemical oxygen demand (mg/L)	4.8	0.9	No state standard; effluent limitations must be restrictive enough to ensure the receiving water will meet standards for dissolved oxygen.
Change in temperature (°C)	0.42		Any discharge into the river should not warm the water more than 2.8°C (5°F).
Total phosphates (mg/L)	0.19	0.08	No state standard; level of phosphates must not stimulate excessive growth of aquatic plants, fungi, or bacteria. Point-source discharges must not exceed 3.0 mg/L as a maximum monthly average unless other limits, either higher or lower, are deemed necessary and appropriate by the MDEQ. The EPA recommends that total phosphates should not exceed 0.15 mg/L in a stream at the point where it enters a lake or reservoir, and should not exceed 0.3 mg/L in streams that do not enter a lake or reservoir.
Nitrates (mg/L)	3.3	1.1	No state standard; level of nitrates must not stimulate the growth of aquatic rooted, attached, suspending, and floating plants, fungi, or bacteria which are or may become injurious to designated uses**.
Turbidity (Q-value)***	59	75	Cannot have unnatural quantities injurious to designated uses**.
Total solids (mg/L)	722		Cannot have unnatural quantities injurious to designated uses**.
Overall water quality index	74	78	No state standard; generally 91-100 excellent, 71-90 good, 51-70 medium, 26-50 fair, 0-25 poor

<sup>\*</sup>pH values reported are the median, not the mean.

<sup>\*\*</sup>At minimum, all surface waters of the state are designated and protected for all of the following uses: agriculture, navigation, industrial water supply, warmwater fishery, other indigenous aquatic life and wildlife, partial body contact recreation, fish consumption.

<sup>\*\*\*</sup>See Turbidity paragraph in the Water Quality Parameters section for an explanation of Q-value.

# **Figures**

Mean results for each parameter are shown below. Results with zero or one colored bar(s) present indicate that data were not available in one or both sampling seasons. Data depicted are from the advanced set of chemical data. Not every school reporting could associate the same degree of confidence in their data collection and calculation of final values, therefore standard error bars have been excluded from figures.




Figure 4: DISSOLVED OXYGEN results from spring 2019 and 2020 monitoring. Results were not available for the Lower 1 or Main 1-2 in 2020, or Main 3-4 in 2019.




Figure 5: FECAL COLIFORM results from spring 2019 and 2020 monitoring. Results are presented on a logarithmic scale. Results were not available from the Lower 1, Main 1-2, or Middle 1 for 2020, or the Main 3-4 in 2019.




Figure 6: pH results for spring 2019 and 2020 monitoring. Results depict the median value of those collected in each subwatershed. Results were not available for the Lower 1 or Main 1-2 in 2020, or the Main 3-4 in 2019.




Figure 7: BIOCHEMICAL OXYGEN DEMAND results for spring 2019 and 2020 monitoring. Results were not available for the Lower 1 in 2019 or 2020, the Main 1-2 in 2020, or the Main 3-4 in 2019.




Figure 8: CHANGE IN TEMPERATURE results for spring 2019 and 2020 monitoring. Results were not available for the Main 3-4 in 2019, or the Lower 1, Lower 2, Main 1-2, Main 3-4, Middle 1, or Upper in 2020. Middle 3 results in 2020 were 0 degrees Celsius.




Figure 9: TOTAL PHOSPHATE results for spring 2019 and 2020 monitoring. Results were not available from the Lower 1 or Main 1-2 in 2019, or the Main 3-4 in 2019.




Figure 10: NITRATE results for spring 2019 and 2020 monitoring. Results were not available for the Lower 1, Main 1-2, or Middle 1 in 2020, or the Main 3-4 in 2019.




Figure 11: TURBIDITY results for spring 2019 and 2020 monitoring. As in tables above, results are displayed as standardized Q-values to account for the multiple units in which schools measure/record this parameter. Results were not available for the Lower 1 or Main 1-2 in 2020, or the Main 3-4 in 2019.




Figure 12: TOTAL SOLIDS results for spring 2019 and 2020. Results were not available for the Lower 1, Lower 2, Main 1-2, Middle 1, or Upper in 2020, or the Main 3-4 in 2019 or 2020.

# **Overall Water Quality**




Figure 13: OVERALL WATER QUALITY INDEX for the seven subwatersheds of the Rouge River basin for spring 2019 and 2020. Water quality is measured on a 0-100 scale, with higher numbers reflecting relatively better water quality conditions. Water quality categories based on Q-values are as follows: 91-100 = Excellent; 71-90 = Good; 51-70 = Medium/average; 26-50 = Fair; 0-25 = Poor. Data were not available for the Lower 1 or Main 1-2 in 2020, or the Main 3-4 in 2019.




Figure 14: OVERALL WATER QUALITY INDEX for the entire Rouge River watershed (as sampled by REP participants) from spring 2010 through spring 2020. Water quality categories based on Q-values are as follows: 91-100 = Excellent; 71-90 = Good; 51-70 = Medium/average; 26-50 = Fair; 0-25 = Poor.

# **Chemical Testing Results: EZ-Tab Kits**

EZ-Tab results are categorized for each parameter measured according to a range of possible results. Schools used the LaMotte brand GREEN Low-Cost Water Quality Monitoring Kit. The "Overall Water Quality" score is ranked on a 1-4 scale (4.0 = Excellent; 3.0 = Good; 2.0 = Fair; 1.0 = Poor). Results in the tables below represent the mean (or raw in the case of only one school representing a subwatershed). As of fall 2016, a new data sheet reflecting measured results (instead of the resulting "Excellent / Good / Fair / Poor" values) was introduced. Please note that no data from the EZ tab kits is available for 2020.

# **Lower 1 Subwatershed**

Schools reporting: None

# **Lower 2 Subwatershed**

Schools reporting: None

### Main 1-2 Subwatershed

School reporting: None

# **Main 3-4 Subwatershed**

Schools reporting: None

# Middle 1 Subwatershed

Schools reporting: None

### Middle 3 Subwatershed

Schools reporting: None

# **Upper Subwatershed**

Schools reporting: None

## **Notable Results & Discussion**

# **Spring Monitoring 2020**

It is important to note that some subwatersheds had very few or no sites monitored, and not every school that participated reported data for each water quality parameter. Hence, these results may not fully represent the overall health of each subwatershed.

Overall, most parameters fell within the defined standards for the state of Michigan (and within ranges expected for the Rouge River). Only one value of note was a high nitrate value of 39.6 mg/L from the Lower branch. This value is possible, and may indicate the need for further investigation.

All other parameters in these subwatersheds were within relatively "normal" ranges. Chemical analysis reflects a snapshot of conditions at the time of sampling.

Water levels and weather were ideal for sampling, there had not been much rain (Figure 15). Note the water level was very close to the 14-year median daily statistic.




Figure 15: Streamflow data from the United States Geological Survey gage on the Lower Rouge River. Data are shown for the week prior to sampling (April 27, 2020) to the conclusion of all sampling events (May 7, 2020). Fifteen year (14) year median data are depicted by the orange triangles, and the daily mean of stream discharge for the time period under consideration is depicted by the solid blue line.

# **Overall Summary & Conclusions**

Overall water quality results from spring 2020 appear to fall in line with results observed over the past 10 years (Figure 14). The Rouge River system moved from the "Medium" water quality category to the "Good" category (water quality index between 71-90). These data are largely incomplete from previous years due to the COVID-19 pandemic. People were sheltering at home, and no students were able to conduct monitoring. The Friends of the Rouge office was closed, and staff were unable to access all of the sampling equipment needed to get a complete set of results. Only essential work was permitted, therefore time doing solo fieldwork was limited. This report reflects what could be done considering the circumstances.

Water temperature was unable to be collected at a couple sites. At those sites, FOTR staff used a Vernier temperature probe to collect the values, but after reviewing the results, realized the values the probe pulled were improbable under the current weather circumstances. Without an accurate temperature reading, percent saturation cannot be determined. Luckily, an armored thermometer was available and used for subsequent visits. Investigation is required to determine why the probe was reading such improbable results.

No change of temperature data were able to be collected from Friends of the Rouge. Only one staff person visited every site, and it was too time consuming to identify a safe location and collect the temperature a mile upstream for each site. This parameter is only recommended when at least two people are available to safely visit sites along the river simultaneously. As mentioned previously, time spent at each site was minimal.

Nitrate values were so low that a range had to be used for some sites. Identifying a lower-range nitrate kit will need to be looked into. There was also a very high nitrate value along the Lower branch, which is common for that stretch.

Since the Friends of the Rouge office was closed, access to the drying oven required to complete the total solids test was unavailable. A Vernier probe was used to determine Total Dissolved Solids. Total solids are Total Suspended Solids + Total Dissolved Solids. Therefore, the results from the probe would be a value less than total solids. Results were included to demonstrate that all values found by Friends of the Rouge were higher than 500 mg/L, which means the Q-value would be 20 no matter how much higher the total solids value was.

We saw some of the lowest fecal coliform values this spring. This was likely due to the dry weather period prior to sampling.

As mentioned previously in this report, not every school used the same set of water quality monitoring equipment, performed the same number of trials for each parameter, or conducted sampling at the same day and time. Spring 2020 was unlike any previous monitoring event due to the COVID-19 pandemic and school closures. Highlighted throughout this report, it is important to note that REP data are strictly intended to be used as part of the program's mission to promote environmental awareness and stewardship of the Rouge River watershed through long-term monitoring efforts. While REP staff

makes every effort to verify with participating teachers and correct data as necessary, results are not yet collected or recorded with a level of accuracy or confidence so as to allow them to be used for scientific or analytical purposes. That being said, Diana Johns at Crestwood High School has been doing this program since its inception, and Friends of the Rouge has a high degree of confidence in her data. This data summary report represents one of many possible methods of water quality monitoring investigation and analysis, and schools are encouraged to conduct their own study and report. The REP continues to strive to find methods that make data collection, reporting, and interpretation as straightforward as possible.

2020 marked the 33<sup>rd</sup> year of the Rouge Education Project. The staff of the Rouge Education Project wishes to thank Diana Johns for jumping through the hoops required to get testing done at her site, and for the sponsors and grantors who made the program possible. Circumstances in the formal education sector are ever-changing due to the pandemic, and the Rouge Education Project will continue to adapt to bring water quality monitoring and results to young people the best that we can.

# 2020 Select Friends of the Rouge Supporters































































# Marathon Petroleum Company LP













































WILLIAM CRAIG



Bloomfield Hills Branch

\*blue border indicates the supporter provided funding, at least in part, specifically to the Rouge Education Project

# Appendix I: Spring 2020 Participating Organizations

Rouge Education Project: Spring 2020								
Organization	City	First Name	Last Name	# students				
Crestwood High School	Dearborn Heights	Diana	Johns	0				
Friends of the Rouge	Plymouth	Erin	Cassady	0				

# Appendix II: Rouge Education Project Data Forms

Below are examples of REP data forms.

- -Understanding "Q-Value" and "Overall Water Quality"
- -Advanced Chemical Data Worksheet
- -Calculating Overall Water Quality
- -Calculating Overall Water Quality Tests Adjustment Formula



## **UNDERSTANDING Q-VALUE & OVERALL WATER QUALITY**

After each chemical test is completed a "Q-Value" must be determined for that specific test. What is a Q-Value?

According to the Friends of the Chicago River,

A Q-value is a way of standardizing all the different water quality test results so that they can be combined and used to find an overall water quality value for the river. You can think of the Q-value like a score on a test. Less than 50 is like a failing grade, whereas 90 or more is like an "A."

For example, please refer to the "pH Test Results" Q-value chart. It can be noted that a pH of 7 results in a Q-value of approximately 90. By thinking of the Q-value as a grade on a test, it would appear rivers with a pH of 7 score a 90%, or an A. This makes sense since a pH of 7 would be neither too basic nor too acidic for most wildlife to live in. A pH of 10, on the other hand, receives a Q-value of 20 while a pH of 4 receives a Q-value of 10. Both of these Q-values are very low (a failing grade!), indicating that the water is either too basic or too acidic.

Once the Q-value is identified for a particular test that Q-value must be multiplied by that particular test's 'weighting factor'. The weighing factor is a number that indicates the importance of each parameter (D.O., pH, etc.) in determining overall water quality. Parameters with higher weighing factors are considered more important in determining the water quality than parameters with smaller weighing factors.

For example, please refer to the "Calculating Overall Water Quality" worksheet. Dissolved oxygen and fecal coliform have the highest weighting factors, with .17 and .16 respectively. These numbers indicate that water quality, or the health of the river, is greatly dependant on how much oxygen is present in the water and how many colonies of fecal coliform are present. Using a 'weighting factor' is necessary to demonstrate that some parameters have a greater effect on water quality than other parameters. Dissolved oxygen has a greater influence on water quality than turbidity.

Finally, add up all of the numbers in the last column (on the "Calculating Overall Water Quality" page). This sum will result in the Overall Water Quality. The chart below matches Overall Water Quality scores with actual overall water quality.

91-100	Excellent
71-90	Good
51-70	Medium or average
26-50	Fair
0-25	Poor

**NOTE:** Please remember this is simply a tool for environmental education. It is a way to help participants understand the chemical test results.



# Rouge Education Project: Chemical Data Worksheet

Nam	ne of group		<u> Date / / / </u>		
	ation/Site ID		Time : am or pm		
City	/Township				
			Chemical Test Results		
Dissolved Oxygen	1. Titrator Readingmg/L  2. Titrator Readingmg/L  3. Titrator Readingmg/L  4. Titrator Readingmg/L  5. Titrator Readingmg/L	Throw out the high and low value, average the remaining three.	Water temperature°C Correction Face Calculate the average of the remaining three:  (1) + (2) + (3) =  Average titrator reading mg/L (uncorrected = mg/L (corrected DO)	÷3=_	% saturationQ-Value
Fecal Coliform	sample size (mL)  # of colonies sample size (mL)	$= \frac{X}{100r}$ $= \frac{X}{100r}$ $= \frac{X}{100r}$ $= \frac{X}{100r}$ $= \frac{X}{100r}$	nL	Use highest value	# of colonies/100mL Q-Value
Hd	1. Comparator reading  2. Comparator reading  3. Comparator reading  4. Comparator reading  5. Comparator reading	Find median value	Line up results from lowest to highest and circle the m (1)(2)(3)(4)(5)	edian:	pH Q-Value



# Rouge Education Project: Chemical Data Worksheet

# **Chemical Test Results (continued)**

Biochemical Oxygen	Bemand Run the dissolved oxygen test on a water sample that has not been exposed to light for five days. No correction factor necessary.	2. m 3. m 4. m	_	values, average the remaining three	Calculate the average:  (1) + (2) + (3) = ÷ 3 =  Uncorrected DO in mg/L Average DO result in mg/L_ (original sample) (incubated sample)	
Change in Temperature	°C (Downstream) - C (Downstream) -	C (Upstream one mile) =  C (Upstream one mile) =		Throw out the high and low values, average the remaining three	Calculate the average:  (1) + (2) + (3) = ÷ 3 =	—_°C Q-Value
Total Phosphate	1mg/L PO <sub>4</sub> 2mg/L PO <sub>4</sub> 3mg/L PO <sub>4</sub> 4mg/L PO <sub>4</sub> 5mg/L PO <sub>4</sub>		Throw out the high and low value, average the remaining three.		late the average of the remaining three: + (2) + (3) =÷ 3 =	mg/L Q-Value

# Rouge Education Project: Chemical Data Worksheet

Nitrates	Comparator reading m     Comparator reading m	ng/L x 4.4	= =	Throw out the high and low value, average the remaining three.	Calculate the average o		aining three: =÷ 3 =	mg/L Q-Value
Turbidity	1. # of additions =JTU						JTU Q-Value	
Total Solids	weight of residue 100mL  weight of residue 100mL	1000mg X 1 gram  1000mg X 1 gram	x x x x x	1 liter  1000mL 1 liter  1000mL 1 liter	=mg/L =mg/L =mg/L =mg/L =mg/L	Throw out the high and low value, average the remaining three.	Calculate the average of the remaining three:  (1) + (2) + (3) =   ÷ 3 =	mg/L Q-Value

Congratulations! You've completed all of the tests.

Please complete the Calculating Overall Water Quality Data Sheet to determine your site's overall water quality score.

If you were not able to complete one to three of the tests, please use the adjustment formula on the back of the Calculating Overall Water Quality Data Sheet.



# Rouge Education Project: Calculating Overall Water Quality Data Sheet

Name of group	<u>Date</u>	/	/
Location/Site ID	<u>Time</u>	:	am or pm
<u>City/Township</u>			

# **Chemical Test Results**

Water Test		Test Result	Q-value		Weighting Factor		Water Quality Index
1. Dissolved Oxygen – DO	mg/L	% saturation		Х	0.17	=	
2. Fecal Coliform—FC		colonies/100mL		х	0.16	=	
3. pH		units		х	0.11	=	
4. Biochemical Oxygen Dema	nd—BOD	mg/L		х	0.11	=	
5. Change in Temperature—	Гетр	°C		Х	0.10	=	
6. Total Phosphate—TP		mg/L		Х	0.10	=	
7. Nitrates—NO <sub>3</sub>		mg/L or ppm		Х	0.10	=	
8. Turbidity—Turb		NTU/JTU or feet		Х	0.08	=	
9. Total Solids—TS		mg/L		х	0.07	=	
-To determine Q-value, use the we	ighting curve charts from th	e Field Manual for 91-100 Excelle	ent Overal	]   \A/·	ater Quality	l	

<sup>-</sup>To determine Q-value, use the weighting curve charts from the *Field Manual for Water Quality Monitoring*.

- -Multiply the Q-value by the weighting factor to get your water quality index.
- -Add up the nine water quality index values to determine your overall water quality score.

Note: If you're missing up to three test results, please use the adjustment formula (on back) to calculate an adjusted overall water quality index.

Ĭ	91-100	Excellent
	71-90	Good
	51-70	Medium
	26-50	Fair
	0-25	Poor

Overall Water Quality

Adjusted Value (if applicable)



# Rouge Education Project: Calculating Overall Water Quality Adjustment Formula

If you're missing one to three test results, use the adjustment formula. The adjustment formula provides you with an Overall Water Quality value that is relative to the value you would have gotten if you performed all nine water quality tests. If you're missing more than three test results, leave the Water Quality Index blank and do not use the adjustment formula.

1. Add together the Water Quality Index Values from the tests you performed.				
2. Add together the weighting factors from the tests you performed.				
3. Divide 1 by the weighting factor total you found in Step 2.	1	÷	=	
4. Multiply your total from Step 1 by the number you found in Step 3. This is your adjusted water quality index.		х	=	

# **EXAMPLE**

Water Test	Q-value		Weighting Factor		Water Quality Index
1. DO	90	Χ	0.17	=	15.30
2. FC	44	Χ	0.16	=	7.04
3. pH	84	Χ	0.11	=	9.24
4. BOD	67	Χ	0.11	=	7.37
5. Temp		Х	0.10	=	
6. TP	40	Χ	0.10	=	4.00
7. NO <sub>3</sub>	26	Χ	0.10	=	2.60
8. Turb	57	Х	0.08	=	4.56
9. TS		Х	0.07	=	

1. Add together the Water Quality Index Values from the tests you performed.	15.30 + 7.04 + 9.24 + 7.37 + 4.00 + 2.60 + 4.56 = 50.11					
2. Add together the weighting factors from the tests you performed.	0.17 + 0.16 + 0.11 + 0.11 + 0.10 + 0.10 + 0.08 = 0.83					
3. Divide 1 by the weighting factor total you found in Step 2.	1	÷	0.83	П	1.20	
4. Multiply your total from Step 1 by the number you found in Step 3. This is your adjusted water quality index.	50.11	x	1.20	=	60.13 ≈ 60	